



ICE

Estado de salud de plataforma Citrix

Estado de los servicios Citrix

Service	Status	PSComputerName
BrokerService	OK	spevdiddc01
ConfigService	OK	spevdiddc01
EnvTestService	OK	spevdiddc01
AppLibService	OK	spevdiddc01
AcctService	OK	spevdiddc01
AdminService	OK	spevdiddc01
AnalyticsService	OK	spevdiddc01
ProvService	OK	spevdiddc01
SfService	OK	spevdiddc01
TrustService	OK	spevdiddc01
OrchService	OK	spevdiddc01
HypService	OK	spevdiddc01
LogService	OK	spevdiddc01
MonitorService	OK	spevdiddc01
AcctService	OK	spevdiddc02
LogService	OK	spevdiddc02
HypService	OK	spevdiddc02
EnvTestService	OK	spevdiddc02
MonitorService	OK	spevdiddc02
SfService	OK	spevdiddc02
ProvService	OK	spevdiddc02
OrchService	OK	spevdiddc02
AnalyticsService	OK	spevdiddc02
AdminService	OK	spevdiddc02
TrustService	OK	spevdiddc02

ConfigService	OK	spevdiddc02
BrokerService	OK	spevdiddc02
AppLibService	OK	spevdiddc02
EnvTestService	OK	spevdiddc03
ConfigService	OK	spevdiddc03
AcctService	OK	spevdiddc03
HypService	OK	spevdiddc03
AnalyticsService	OK	spevdiddc03
AppLibService	OK	spevdiddc03
BrokerService	OK	spevdiddc03
LogService	OK	spevdiddc03
SfService	OK	spevdiddc03
TrustService	OK	spevdiddc03
AdminService	OK	spevdiddc03
MonitorService	OK	spevdiddc03
OrchService	OK	spevdiddc03
ProvService	OK	spevdiddc03

Conectividad de Citrix a SQL

SourceServer	RemoteServer	PingSucceeded	RoundtripTime (ms)	TcpTestSucceeded
SPEVDIDDC01 (10.169.19.10)	(10.162.101.125:52673)	True	2	True
SPEVDIDDC02 (10.169.19.11)	(10.162.101.125:52673)	True	1	True
SPEVDIDDC03 (10.169.19.12)	(10.162.101.125:52673)	True	1	True

Eventos Conectividad de Citrix a SQL (Últimas 4 horas)

No hay eventos

Eventos de Citrix (Últimas 4 horas)

TimeCreated	Id	LevelDisplayName	ProviderName	MachineName	Message	PSComputerName
20/10/2026 02:59:10 a.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
20/10/2026 02:54:10 a.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
20/10/2026 02:53:10 a.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
20/10/2026 02:48:10 a.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
20/10/2026 02:47:10 a.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01

[illegible]

[illegible]

20/10/2026 12:11:10 a.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
20/10/2026 12:06:10 a.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
20/10/2026 12:05:10 a.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:59:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:58:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:55:31 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:53:11 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:52:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:49:30 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:47:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:46:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:43:30 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:41:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:39:50 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:23:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:22:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:17:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:16:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:11:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:10:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:05:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:04:10 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01
19/10/2026 11:00:50 p.m.	5	Error	Citrix Director Service	spevdiddc01.sabana.ice	⊖	spevdiddc01

Equipos en estado Desconocido (33)



MachineName	PowerState	FaultState
S-1-5-21-1958226619-1491630524-1196505917-1657767	Unmanaged	None
SABANA\SABCTXAPP04	Unmanaged	Unregistered
SABANA\SABCTXAPP07	Unmanaged	Unregistered
SABANA\SABCTXAPP07R1	Unmanaged	Unregistered
SABANA\SABCTXAPP08	Unmanaged	Unregistered
SABANA\SABCTXAPP14	Unmanaged	None
SABANA\SCADABRUNCA02	Unmanaged	None
SABANA\SCADACENTRAL01	Unmanaged	None
SABANA\SCADACENTRAL02	Unmanaged	None
SABANA\SCADACHOROTEG01	Unmanaged	None
SABANA\SCADAGENERAL01	Unmanaged	None
SABANA\SCADAHUETAR01	Unmanaged	None
SABANA\SCADAHUETAR02	Unmanaged	None
SABANA\SCADAHUETAR03	Unmanaged	None
SABANA\SCADAPACCEN01	Unmanaged	None
SABANA\SPECTXAPP05	Unmanaged	None
SABANA\SPECTXAPP06	Unmanaged	Unregistered
SABANA\SPECTXAPP07R1	Unmanaged	Unregistered
SABANA\SPSAVCADECE0030	On	Unregistered
SABANA\SPSAVDCPPRS0222	On	Unregistered
SABANA\SPSAVDGRMTE0102	On	Unregistered
SABANA\SPSAVDICAGS0024	On	Unregistered
SABANA\SPSAVDICAP-0049	On	Unregistered
SABANA\SPSAVDICAP-019	On	Unregistered
SABANA\SPSAVDICAP-021	On	Unregistered
SABANA\SPSAVGSCCE0015	On	Unregistered
SABANA\SPSAVNEDCEE0008	On	Unregistered
SABANA\SPSAVNEDCEE0044	On	Unregistered
SABANA\SPSAVNGEPRS0422	On	Unregistered
SABANA\SPSAVPDEEE0032	On	Unregistered
SABANA\SPSAVTICTES0005	On	Unregistered
SABANA\SPSAVTICTES0019	On	Unregistered
SABANA\SPSAVTICTES0022	On	Unregistered

Espacio del disco C: spevdi01 a spevdi74

Solo lectura, sin recorrer archivos. Se muestran unicamente consultas satisfactorias. Los equipos omitidos no deben interpretarse como equipos sin problemas de espacio.

Consultas satisfactorias: 71 de 74 destinos. Los fallos se muestran en consola.

Maquina	Disco	Usado (GB)	Total (GB)	Libre (GB)	Ocupado (%)
spevdi01	C:	95,76	149,51	53,75	64,0
spevdi02	C:	112,78	149,51	36,73	75,4
spevdi03	C:	93,65	149,51	55,86	62,6
spevdi04	C:	129,59	149,51	19,92	86,7
spevdi05	C:	83,43	149,51	66,08	55,8
spevdi06	C:	83,60	149,51	65,91	55,9
spevdi07	C:	74,57	149,51	74,94	49,9
spevdi08	C:	62,00	149,51	87,51	41,5
spevdi09	C:	74,23	149,51	75,27	49,7
spevdi10	C:	83,13	149,51	66,38	55,6
spevdi11	C:	83,45	149,51	66,06	55,8
spevdi12	C:	94,05	149,51	55,46	62,9
spevdi13	C:	83,29	149,51	66,22	55,7
spevdi14	C:	129,54	149,51	19,97	86,6
spevdi15	C:	81,50	149,51	68,01	54,5
spevdi16	C:	73,93	149,51	75,57	49,5
spevdi18	C:	68,32	149,51	81,19	45,7
spevdi19	C:	80,76	149,51	68,75	54,0
spevdi20	C:	82,92	149,51	66,58	55,5
spevdi21	C:	75,28	149,51	74,23	50,3
spevdi22	C:	75,42	149,51	74,09	50,4
spevdi23	C:	81,58	149,51	67,93	54,6
spevdi24	C:	67,93	149,51	81,58	45,4
spevdi25	C:	73,65	149,51	75,86	49,3
spevdi26	C:	62,28	149,51	87,23	41,7
spevdi27	C:	62,15	149,51	87,36	41,6
spevdi28	C:	62,56	149,51	86,95	41,8
spevdi29	C:	73,74	149,51	75,77	49,3
spevdi30	C:	70,19	149,51	79,32	46,9
spevdi31	C:	81,17	149,51	68,34	54,3
spevdi32	C:	74,90	149,51	74,61	50,1
spevdi34	C:	95,57	149,51	53,94	63,9
spevdi35	C:	59,31	149,51	90,20	39,7
spevdi36	C:	61,10	149,51	88,41	40,9
spevdi37	C:	66,91	149,51	82,60	44,8
spevdi38	C:	70,90	149,51	78,61	47,4
spevdi39	C:	70,80	149,51	78,71	47,4

spevdi40	C:	72,98	149,51	76,53	48,8
spevdi41	C:	52,53	149,46	96,93	35,1
spevdi42	C:	49,13	149,46	100,33	32,9
spevdi43	C:	47,41	149,46	102,05	31,7
spevdi44	C:	47,22	149,46	102,24	31,6
spevdi45	C:	54,11	149,46	95,35	36,2
spevdi46	C:	52,00	149,46	97,47	34,8
spevdi47	C:	55,69	149,46	93,78	37,3
spevdi48	C:	49,12	149,46	100,34	32,9
spevdi49	C:	50,83	149,46	98,63	34,0
spevdi50	C:	50,28	149,46	99,18	33,6
spevdi51	C:	68,30	149,51	81,21	45,7
spevdi52	C:	76,42	149,51	73,09	51,1
spevdi53	C:	82,74	149,51	66,77	55,3
spevdi54	C:	66,42	149,51	83,09	44,4
spevdi55	C:	61,18	149,51	88,33	40,9
spevdi56	C:	75,94	149,51	73,57	50,8
spevdi57	C:	65,92	149,51	83,59	44,1
spevdi58	C:	65,65	149,51	83,86	43,9
spevdi59	C:	69,72	149,51	79,79	46,6
spevdi60	C:	70,70	149,51	78,81	47,3
spevdi61	C:	82,31	149,51	67,20	55,1
spevdi62	C:	78,59	149,51	70,92	52,6
spevdi63	C:	71,36	149,51	78,15	47,7
spevdi64	C:	77,65	149,51	71,86	51,9
spevdi65	C:	59,90	149,51	89,61	40,1
spevdi67	C:	71,79	149,51	77,72	48,0
spevdi68	C:	70,78	149,66	78,88	47,3
spevdi69	C:	79,81	149,51	69,70	53,4
spevdi70	C:	88,26	149,51	61,25	59,0
spevdi71	C:	51,14	149,51	98,37	34,2
spevdi72	C:	69,75	149,51	79,76	46,7
spevdi73	C:	67,75	149,51	81,76	45,3
spevdi74	C:	57,82	149,51	91,69	38,7

**Generado durante (Formato: 'yyyy/MM/dd HH:mm:ss'): 2026/10/20 03:00:02 -
2026/10/20 03:01:34**

Generado por: Conzultek

***** Fin del Reporte *****

Software Propiedad de BSA Soluciones S.A. de Costa Rica (2024), elaborado para Conzultek Prohibida su distribución no autorizada